	OIPA
Forn	1449 (Modified)
	Information Desclosure Statement By Applicant
\\ \( \)	(Use Several Sheets if Necessary)

Atty Docket No.: Application No.: 09/755,383

Applicant:

Schena et al.

Filing Date:

1/5/01

Group:

\_\_\_\_\_

## **U.S. Patent Documents**

Examiner						Sub-	Filing
Initial,		Patent No.	Date	Patentee	Class	Class	Date
XX	*	3,919,691	11/11/75	Noll	340	172.5	5/26/71
*	*	4,398,889	8/16/83	Lam et al.	434	45	6/8/81
	*	4,477,043	10/16/84	Repperger	244	223	12/15/82
	*	4,546,347	10/8/85	Kirsch	340	710	6/24/83
		4,550,221	10/29/85	Mabusth	178	18	10/7/83
		4,692,756	9/8/87	Clark	340	709	7/5/84
	*	4,775,289	10/4/88	Kazerooni	414	735	9/25/87
	*	4,782,327	11/1/88	Kley et al.	340	365	1/2/85
	*	4,794,384	12/27/88	Jackson	340	710	4/9/87
		4,798,919	1/17/89	Miessler et al.	178	18	3/11/88
	*	4,799,055	1/17/89	Nestler et al.	340	710	4/26/84
	*	4,800,721	1/31/89	Cemenska et al.	60	393	2/13/87
	*	4,811,608	3/14/89	Hilton	73	862.04	11/6/86
	*	4,823,634	4/25/89	Culver	74	471	11/3/87
	*	4,839,838	6/13/89	LaBiche et al.	364	709.11	3/30/87
	*	4,861,269	8/29/89	Meenen, Jr.	434	45	3/30/88
	*	4,868,549	9/19/89	Affinito et al.	340	710	5/18/87
ŀ	*	4,935,728	6/19/90	Kley	340	709	11/20/87
		4,949,119	8/14/90	Moncrief et al.	364	578	1/12/89
	*	5,044,956	9/3/91	Behensky	434	45	1/12/89
	*	5,065,145	11/12/91	Purcell	340	706	10/6/89
		5,086,296	2/4/92	Clark	340	709	12/2/88
	*	5,095,303	3/10/92	Clark et al.	340	710	3/27/90
	*	5,103,404	4/7/92	McIntosh	318	568.22	12/20/89
	*	5,107,080	4/21/92	Rosen	200	6	12/1/89
	*	5,107,262	4/21/92	Cadoz et al.	341	22	10/12/89
	*	5,142,931	9/1/92	Menahem	74	471	2/14/91
	*	5,146,566	9/8/92	Hollis, Jr. et al.	395	275	5/29/91
0.1	*	5,185,561	2/9/93	Good et al.	318	432	7/23/91
WX.	*	5,186,629	2/16/93	Rohen	434	114	8/22/91

~				/
Examiner:	CEW15	Date Considered:	3/1	3/02

Form 1449 (Modified)

Information Dischosure
Statement By Applicant

(Use Several Sheets if Necessary)

Atty Docket No.:Application No.:IMM1P029B09/755,383

Applicant:

Schena et al.

Filing Date: 1/5/01

Group: 760/1/2673

### **U.S. Patent Documents**

Examiner						Sub-	Filing
Lnîțial /		Patent No.	Date	Patentee	Class	Class	Date
	*	5,193,963	3/16/93	McAffee et al.	414	5	10/31/90
	*	5,220,260	6/15/93	Schuler	318	561	10/24/91
	*	5,223,776	6/29/93	Radke et al.	318	568.1	12/31/90
	*	5,228,356	7/20/93	Chuang	74	471	11/25/91
		5,237,327	8/17/93	Saitoh et al.	341	176	11/14/91
	*	5,264,768	11/23/93	Gregory et al.	318	561	10/6/92
		5,293,158	3/8/94	Soma	345	161	5/5/92
	*	5,296,846	3/22/94	Ledley	345	161	10/5/92
	*	5,296,871	3/22/94	Paley	345	163	7/27/92
	*	5,355,148	10/11/94	Anderson	345	166	1/14/93
	*	5,374,942	12/20/94	Gilligan et al.	345	157	8/12/93
	*	5,379,663	1/10/95	Hara	74	471	11/22/93
	*	5,389,865	2/14/95	Jacobus et al.	318	568.11	12/2/92
	*	5,396,266	3/7/95	Brimhall	345	161	6/8/93
	*	5,397,323	3/14/95	Taylor et al.	606	130	10/30/92
	*	5,398,044	3/14/95	Hill	345	145	12/7/93
	*	5,405,152	4/11/95	Katanics et al.	276	438	6/8/93
	*	5,414,337	5/9/95	Schuler	318	561	6/11/93
	*	5,457,479	10/10/95	Cheng	345	163	6/13/94
	*	5,473,235	12/5/95	Lance et al.	318	561	12/21/93
	*	5,477,237	12/19/95	Parks	345	156	7/14/94
	*	5,491,477	2/13/96	Clark et al.	341	20	9/13/93
	*	5,513,100	4/30/96	Parker et al.	364	167.01	6/10/93
		5,521,336	5/28/96	Buchanan et al.	178	18	5/23/94
	*	5,530,455	6/25/96	Gillick et al.	345	163	8/10/94
	*	5,576,727	11/19/96	Rosenberg et al.	345	179	06/05/95
	*	5,587,937	12/24/96	Massie et al.	364	578	04/25/95
		5,589,826	12/31/96	Armstrong	341	20	3/5/92
	*	5,589,854	12/31/96	Tsai	345	161	6/22/95
$\lambda/\lambda$	*	5,623,582	4/22/97	Rosenberg	395	99	7/14/94

Examiner: DAVII) (EWS Date Considered: 5/8 /02

Form 1449 (Modified)	Atty Docket No.:	Application No.:
JAN 3 1 2002	IMM1P029B	09/755,383
Information Disclosure	Applicant:	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Statement By Applicant	Scho	ena et al.
MADEMAR	Filing Date:	Group: 2673
(Use Several Sheets if Necessary)	1/5/01	2673 <sup>267</sup> C

## **U.S. Patent Documents**

Examiner						Sub-	Filing
(pitial/		Patent No.	Date	Patentee	Class	Class	Date
XXX	*	5,629,594	5/13/97	Jacobus et al.	318	568.11	10/16/95
		5,642,469	6/24/97	Hannaford et al.	395	99	11/3/94
<del>-~~</del>	*	5,643,087	7/1/97	Marcus et al.	463	38	7/29/94
	*	5,656,901	8/12/97	Kurita	318	436	4/21/95
	*	5,666,138	9/9/97	Culver	345	161	11/22/94
		5,691,747	11/25/97	Amano	345	167	12/19/94
	*	5,691,898	11/25/97	Rosenberg et al.	364	190	3/28/96
	*	5,709,219	1/20/98	Chen et al.	128	782	8/1/96
	*	5,714,978	2/3/98	Yamanaka et al.	345	157	12/5/95
	*	5,721,566	2/24/98	Rosenberg et al.	345	161	6/9/95
	*	5,731,804	03/24/98	Rosenberg	345	156	01/18/95
	*	5,734,373	3/31/98	Rosenberg et al.	345	161	12/1/95
	*	5,736,978	4/7/98	Hasser et al.	345	173	5/26/95
	*	5,742,278	4/21/98	Chen et al.	345	156	11/1/95
	*	5,754,023	5/19/98	Rosten et al.	318	561	10/22/96
	*	5,755,577	5/26/98	Gillio	434	262	7/11/96
		5,760,764	6/2/98	Martinelli	345	160	12/13/95
	*	5,767,839	6/16/98	Rosenberg	345	161	3/3/95
	*	5,769,640	6/23/98	Jacobus et al.	434	262	8/10/95
	*	5,771,037	6/23/98	Jackson	345	157	7/24/95
	*	5,781,172	7/14/98	Engel et al.	345	164	6/16/97
		5,784,052	7/21/98	Keyson	345	167	3/12/96
	*	5,790,108	8/4/98	Salcudean et al.	345	184	10/23/92
		5,802,353	9/1/98	Avila et al.	395	500	6/12/96
	*	5,805,140	9/8/98	Rosenberg et al.	345	161	11/17/95
		5,808,603	9/15/98	Chen	345	157	2/6/97
		5,821,921	10/13/98	Osborn et al.	345	157	8/9/96
	*	5,825,308	10/20/98	Rosenberg	341	20	11/26/96
01/1	*	5,828,197	10/27/98	Martin et al.	318	567	10/25/96
XIV		5,828,363	10/27/98	Yaniger et al.	345	156	8/18/97

Examiner: David (EV15 Date Considered: 5/18/02

Technology Center 2600 Atty Docket No.: Form 1449 (Modified) **Application No.:** IMM1P029B Information Disclosure **Applicant:** Schena et al. Statement By Applicants Filing Date: Group: (Use Several Sheets if Necessary) 1/5/01

### **U.S. Patent Documents**

Examiner						Sub-	Filing
Initial		Patent No.	Date	Patentee	Class	Class	Date
XIIX		5,841,423	11/24/98	Carroll, Jr. et al.	345	168	12/26/95
		5,841,428	11/24/98	Jaeger et al.	345	184	9/20/96
	*	5,844,392	12/1/98	Peurach et al.	318	568.17	5/21/97
		5,877,750	3/2/99	Hanson	345	173	9/17/96
		5,887,995	3/30/99	Holehan	400	479.1	9/23/97
	*	5,889,670	3/30/99	Schuler et al.	364	186	1/11/96
		5,914,705	6/22/99	Johnson et al.	345	163	2/9/96
		5,943,044	8/24/99	Martinelli et al.	345	174	5/15/97
		5,956,016	9/21/99	Kuenzner et al.	345	156	3/19/97
		5,973,689	10/26/99	Gallery	345	339	10/29/97
	*	5,990,869	11/23/99	Kubica et al.	345	163	2/19/97
		6,004,134	12/21/99	Marcus et al.	434	45	5/19/94
		6,078,308	6/20/00	Rosenberg et al.	345	145	6/18/97
		6,088,019	7/11/00	Rosenberg	345	156	6/23/98
		6,100,874	8/8/00	Schena et al.	345	157	6/24/97
		6,128,006	10/3/00	Rosenberg et al.	345	163	3/26/98
		6,154,201	11/28/00	Levin et al.	345	184	10/26/98
		6,166,723	12/26/00	Schena et al.	345	184	11/7/97
		6,198,206	3/6/01	Saarmaa et al.	310	340	3/20/98
		6,219,032	4/17/01	Rosenberg et al.	345	157	12/13/95
		6,225,976	5/1/01	Yates et al.	345	156	10/30/98
ax/		6,243,078	6/5/01	Rosenberg	345	161	2/28/99
ZUX		6,256,011	7/3/01	Culver	345	157	12/1/98

Examiner: Date Considered: 8/10/02					
	$1 \qquad 17 M J/1 1$	EWIS	Date Considered:	5/10	9/02

OIA	•	
Form 1449 (Modified)	Atty Docket No.: IMM1P029B	Application No Recognition 99/755,383
Information Disclosure Statement By Emplicant	Applicant:	na et al.
	Filing Date:	Group: 2673 2600
(Use Several Sheets if Necessary)	1/5/01	2673 <b>2600</b>

# Foreign Patent or Published Foreign Patent Application

Examiner		Document	Publication	Country or		Sub-	Trans	lation
Initial /		No.	Date	Patent Office	Class	class	Yes	No
X	*	WO9426167	24 Nov 94	PCT	1	f	X	
	*	WO9520788	3 Aug 95	PCT			X	
	*	WO9532459	30 Nov 95	PCT			X	
	*	EP0875819	4 Nov 98	EPO			X	_
	*	JP4-34610	31 May 90	Japan			X	
	*	0626653A2	30 Nov 94	EPO			X	
		2347199	30.08.00	Great Britain			X	
	1	WO92/00559	9 Jan 92	PCT			X	
	1/	WO97/31333	28 Aug 97	PCT			X	
	1/	WO95/21436	10 Aug 95	PCT			X	
	7	/WO00/03319	20 Jan 00	PCT			X	
	1.	0607580A1	27.07.94	EPO			X	
XXX	7	0265011 A1	27.04.88	EPO			X	
								-

	_					_
Examiner:	ENIS	Date Considered:	5/	14/	12	

Form 1449 (Modified)	Atty Docket No.:	Application No.:
( Tag ( )	IMM1P029B	09/755,38
Information Diselosure	Applicant:	(
Statement By Applicant	Sche	na et al.
	Filing Date:	Group: Connology

# **Other Documents**

Examiner		
Initial		Author, Title, Date, Place (e.g. Journal) of Publication
	*	Hayward, V. et al., "Design and Multi-Objective Optimization of a Linkage for a Haptic
1 VW		Interface," Advances in Robot Kinematics and Computationed Geometry, Kluwer Academic
		Publishers, 1994, pp. 359-368.  Ramstein, C. et al., "The Pantograph: A Large Workspace Haptic Device for a Multimodal
/ //	*	Human-Computer Interaction," Computer-Human Interaction, CHI '94, 1994, pp. 1-3.
	*	Payette, J. et al., "Evaluation of a Force Feedback (Haptic) Computer Pointing Device in Zero
		Gravity," DSC. Vol. 58 Proc. of the ASME Dynamics Systems and Control Division, ASME
		1996, pp. 547-553.
	*	Ramstein, C., "Combining Haptic and Braille Technologies: Design Issues and Pilot Study,"
-	*	ASSETS '96, ACM 0-89791-776-6/96, pp. 37-44.  Millman, P. et al., "Design of a Four Degree-of-Freedom Force-Reflecting Manipulandum with a
	"	Specified Force/Torque Workspace," Proc. of 1991 IEEE Int'l Conf. on Robotics and
1	l .	Automation, IEEE 1991, pp. 1488-1492.
	*	Buttolo, P. et al., "Pen_Based Force Display for Precision Manipulation in Virtual
		Environments," IEEE 0-8186-7084-3, 1995, pp. 217-224.
	*	Munch, S. et al., "Intelligent Control for Haptic Displays," Eurographics '96, Blackwell Publishers, 1996, pp. C-217-226.
	*	Tavkhelidze, D. et al., "Kinematic Analysis of Five-Link Spherical Mechanisms," Mechanism and
		Machine Theory, Pergamon Press, Vol. 9, 1974, pp. 181-190.
	*	Adelstein, B. et al., "Design and Implementation of a Force Reflecting Manipulandum for Manual
		Control Research," NASA Ames Research Center, MIT, 1992, pp. 1-24.
	*	Ellis, R. et al., "Design and Evaluation of a High-Performance Prototype Planar Haptic Interface,"
		DSC-Vol. 49, Advances in Robotics, Mechatronics, and Haptic Interfaces, ASME 1993, pp. 55-64.
	*	Adelstein, B., "A High Performance Two Degree-of-Freedom Kinesthetic Interface," Mass. Inst.
		of Technology, 1992, pp. 108-112.
	*	Howe, R. et al., "Task Performance with a Dextrous Teleoperated Hand System," Proc. of SPIE,
		Vol. 1833, 1992, pp. 1-9.
	*	Kelley, A. et al., "MagicMouse: Tactile and Kinesthetic Feedback in the Human-Computer Interface using an Electromagnetically Actuated Input/Output Device," Dept. of Elec.
		Engineering, Univ. of British Columbia, 1993, pp. 1-27.
	*	
		Display," Presence, Vol. 3, No. 1, 1994, pp. 73-80.
	*	Schmult, B. et al., "Application Areas for a Force-Feedback Joystick," DSC-Vol. 49, Advances in
	*	Robotics, Mechatronics, and Haptic Interfaces, ASME 1993, pp. 47-54.  Rosenberg, Louis, "A Force Feedback Programming Primer," Immersion Corp., 1997, pp. 1-177.
<b></b>		
	*	Iwata, H. "Artificial Reality with Force-feedback," Computer Graphics, Vol. 24, No. 4, 1990, pp. 165-170.
<b></b>	*	Minsky, M. et al., "Feeling and Seeing: Issues in Force Display," ACM 089791-351-5, 1990, pp.
NA	"	235-245, 270.
	*	Hannaford, B. et al., "Force-Feedback Cursor Control," NASA Tech Brief, Vol. 13, No. 11, Item
	L	#21, 1989, pp. 1-4.

		1				<u>/</u>
Examiner:	AUD	LEWS	Date Considered:	3/1	18/0	2

Form 1449 (Modified)	Atty Docket No.:  IMM1P029B	<b>Application No.:</b> 09/755,383
Information Declosure Statement By Applicants	Applicant:	ena et al.
Statement by Appregante	1	> \A
Statement By Appregants	Filing Date:	Group: Technologic

# **Other Documents**

Examiner		
(Initial /		Author, Title, Date, Place (e.g. Journal) of Publication
XVX	*	Rosenberg, L., "Virtual Fixtures as Tools to Enhance Operator Performance in Telepresence Environments," SPIE Telemanipulator Technology, 1993, pp. 1-12.
X	*	Rosenberg, L. et al., "Perceptual Decomposition of Virtual Haptic Surfaces," Proc. IEEE
		Symposium on Research Frontiers in Virtual Reality, 1993, pp 1-8.
	*	Rosenberg, L. et al., "The use of force feedback to enhance graphical user interfaces," Stereoscopic Displays and Virtual Reality Systems III, Proc. SPIE 2653, 1986, pp. 243-248.
	*	Schmult, B. et al., "Application Areas for a Force-Feedback Joystick," DSC-Vol. 49, Advances in Robotics, Mechatronics, and Haptic Interfaces, ASME 1993, pp. 47-54.
	*	Rosenberg, Louis, "A Force Feedback Programming Primer," Immersion Corp., 1997, pp. 1-177.
		Iwata, H. "Artificial Reality with Force-feedback," Computer Graphics, Vol. 24, No. 4, 1990, pp. 165-170.
	*	Minsky, M. et al., "Feeling and Seeing: Issues in Force Display," ACM 089791-351-5, 1990, pp. 235-245, 270.
	*	Hannaford, B. et al., "Force-Feedback Cursor Control," NASA Tech Brief, Vol. 13, No. 11, Item #21, 1989, pp. 1-4.
	*	
	*	
	*	The state of the s
	*	Rosenberg, L. et al., "The use of force feedback to enhance graphical user interfaces," Stereoscopic Displays and Virtual Reality Systems III, Proc. SPIE 2653, 1986, pp. 243-248.
	*	Rosenberg, L., "Virtual haptic overlays enhance performance in telepresence tasks," Dept. of Mech. Engineering, Stanford Univ., 1993.
	*	
	*	Wiker, S. et al., "Development of Tactile Mice for Blind Access to Computers," Proc. of Human Factors Society, 1991, pp. 708-712.
	*	Batter, J. et al., "Grope-1: A Computer Display to the Sense of Feel," Proc. IFIP Congress, 1971, pp. 759-763.
	*	Russo, M., "The Design and Implementation of a Three Degree-of-Freedom Force Output Joystick," Dept. of Mech. Engineering, 1990, pp. 1-40.
	*	Fischer, P. et al., "Specification and Design of Input Devices for Teleoperation," IEEE CH2876-1, 1990, pp. 540-545.
XXX	*	
·~ \	-	

Examiner: Aul)	EWIS	Date Considered:	/y/	77

Form	1449	(Modified

JAN 3 1 2002 Information Disclosure Statement By Applicant

(Use Several Sheets if Necessary)

1			
	A 44	Dantes	Min .
	Auv	Docket	110.:

IMM1P029B

Application No.:

09/755,383

**Applicant:** 

Schena et al.

Filing Date:

1/5/01

Group:

2673

## **Other Documents**

Examiner		
Initial 1		Author, Title, Date, Place (e.g. Journal) of Publication
XX	*	Herndon, J. et al., "The State-of-the-Art Model M-2 Maintenance System," Proc. of 1984 Nat'l Topical Meeting on Robotics and Remote Handling in Hostile Environments, American Nuclear Soc., pp. 147-154.
	*	Hannaford, B. et al., "Performance Evaluation of a Six-Axis Generalized Force-Reflecting Teleoperator," IEEE Trans. on Systems, Man, and Cybernetics, Vol. 21, No. 3, 1991, pp. 620-633.
	*	Adachi, Y. et al., "Sensory Evaluation of Virtual Haptic Push-Buttons," Technical Research Center, Suzuki Motor Corp., 1994.
	*	Ouh-young, M. et al., "Force Display Performs Better than Visual Display in a Simple 6-D Docking Task," Int'l Conf. on Robotics and Automation, IEEE CH2750, 1989, pp. 1462-1466.
	*	Rosenberg, L., "The Use of Virtual Fixtures to Enhance Operator Performance in Time Delayed Teleoperation," Air Force Materiel Command, AL/CF-TR-1994-0139, 1993, pp. 1-45.
	*	Rosenberg, L., "Perceptual Design of a Virtual Rigid Surface Contact," Air Force Materiel Command, AL/CF-TR-1995-0029, 1993, pp. 1-40.
	*	Rosenberg, L. et al., "Commercially Viable Force Feedback Controller for Individuals with Neuromotor Disabilities," U.S. Air Force Armstrong Laboratory, AL/CF-TR-1997-0016, 1996, pp. 1-33.
	*	Colgate, J. et al., "Implementation of Stiff Virtual Walls in Force-Reflecting Interfaces," Dept. of Mech. Engineering, Northwestern Univ., 1993, pp. 1-7.
	*	Su, S. et al., "The Virtual Panel Architecture: A 3D Gesture Framework," IEEE 0-7803-1363-1, 1993, pp. 387-393.
	*	Kotoku, T., "A Predictive Display with Force Feedback and its Application to Remote Manipulation System with Transmission Time Delay," Proc. of 1992 IEEE/RSI Int'l Conf. on Intelligent Robots and Systems, IEEE 0-7803-0737-2, 1992, pp. 239-246.
	*	Yokokohji, Y. et al., "What You Can See is What You Can Feel- Development of a Visual/Haptic Interface to Virtual Environment," IEEE 0-8186-7295-1, 1996, pp. 46-54.
	*	Brooks Jr., F. et al., "Project Grope—Haptic Displays for Scientific Visualization," Computer Graphics, Vol. 24, No. 4, 1990, pp. 177-185.
	*	Hirota, K. et al., "Development of Surface Display," IEEE 0-7803-1363-1, 1993, pp. 256-262.
	*	Kelley, A.J., "On the Development of a Force-Feedback Mouse and Its Integration into a Graphical User Interface," 1994 Int'l Mechanical Engineering Congress and Exhibition, 1994, pp. 1-8.
	*	Kilpatrick, P., "The Use of a Kinesthetic Supplement in an Interactive Graphics System," Univ of N. Carolina, 1976, pp. 1-176.
XXX	*	Winey III, C., "Computer Simulated Visual and Tactile Feedback as an Aid to Manipulator and Vehicle Control," Mech. Engineering, MIT, 1981, pp. 1-79.

	,				/
Examiner:	ŦW15	Date Considered:	5/1	9/0	12